



TUBES CARRÉS / SQUARE HSS						
DIMENSIONS						Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch			MET. mm			
3/4	x	3/4	x	0.083	19 x 19 19.0	0.750
1	x	1	x	0.083	25.4 x 25.4	1.040
			x	0.100		1.140
			x	0.110		1.230
			x	0.125		1.350
			x	0.150		1.540
1 1/4	x	1 1/4	x	0.083	31.8 x 31.8	1.230
			x	0.100		1.480
			x	0.110		1.570
			x	0.125		1.780
			x	0.150		2.050
1.5	x	1.5	x	0.083	38.1 x 38.1	1.510
			x	0.100		1.820
			x	0.110		1.970
			x	0.125		2.210
			x	0.134		2.330
			x	0.150		2.560
			x	0.188		3.350
1 3/4	x	1 3/4	x	0.100	44.5 x 44.5	2.240
			x	0.110		2.450
			x	0.125		2.760
2	x	2	x	0.100	50.8 x 50.8	2.580
			x	0.110		2.830
			x	0.125		3.060
			x	0.134		3.240
			x	0.150		3.580
			x	0.188		4.330
			x	0.250		5.410
2 1/4	x	2 1/4	x	0.100	57.2 x 57.2	2.840
			x	0.125		3.480
			x	0.150		4.090
			x	0.188		4.960
			x	0.250		6.260
2 1/2	x	2 1/2	x	0.100	63.5 x 63.5	3.260
			x	0.110		3.580
			x	0.125		3.910
			x	0.134		4.160
			x	0.150		4.600
			x	0.188		5.610
			x	0.210		6.160
			x	0.230		6.420
			x	0.250		7.110



TUBES CARRÉS / SQUARE HSS							
DIMENSIONS						Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm				
2 3/4	x	2 3/4	x	0.110	69.9 x 69.9	x 2.79	3.960
			x	0.125		x 3.18	4.340
			x	0.150		x 3.81	5.110
3	x	3	x	0.095	76.2 x 76.2	x 2.41	3.750
			x	0.100		x 2.54	3.950
			x	0.110		x 2.79	4.320
			x	0.125		x 3.18	4.760
			x	0.134		x 3.40	5.070
			x	0.150		x 3.81	5.620
			x	0.188		x 4.78	6.890
			x	0.210		x 5.33	7.590
			x	0.250		x 6.35	8.810
			x	0.313		x 7.95	10.590
			x	0.375		x 9.53	12.170
3 1/2	x	3 1/2	x	0.109	88.9 x 88.9	x 2.77	4.950
			x	0.120		x 3.05	5.540
			x	0.125		x 3.18	5.610
			x	0.134		x 3.40	5.980
			x	0.150		x 3.81	6.640
			x	0.188		x 4.78	8.170
			x	0.210		x 5.33	9.010
			x	0.250		x 6.35	10.510
			x	0.313		x 7.95	12.700
			x	0.375		x 9.53	14.710
3 3/4	x	3 3/4	x	0.150	95.3 x 95.3	x 3.81	7.150
			x	0.188		x 4.78	8.810
			x	0.250		x 6.35	11.360
			x	0.313		x 7.95	13.770
4	x	4	x	0.109	101.6 x 101.6	x 2.77	5.690
			x	0.125		x 3.18	6.460
			x	0.134		x 3.40	6.890
			x	0.150		x 3.81	7.660
			x	0.188		x 4.78	9.450
			x	0.210		x 5.33	10.510
			x	0.250		x 6.35	12.210
			x	0.313		x 7.95	14.830
			x	0.375		x 9.53	17.270
			x	0.500		x 12.70	21.630
4 1/2	x	4 1/2	x	0.125	114.3 x 114.3	x 3.18	7.310
			x	0.134		x 3.40	7.810
			x	0.150		x 3.81	8.690
			x	0.188		x 4.78	10.700
			x	0.250		x 6.35	13.910



TUBES CARRÉS / SQUARE HSS										
DIMENSIONS						Lb/Pi lin. Lb/Lin. ft				
IMP. Pouce/Inch			MET. mm							
4 1/2	x	4 1/2	x	114.3	x	114.3	x	7.95	16.960	
			x				0.375	x	9.53	19.820
5	x	5	x	127.0	x	127.0	x	3.81	9.710	
			x				0.188	x	4.78	12.000
			x				0.250	x	6.35	15.620
			x				0.313	x	7.95	19.080
			x				0.375	x	9.53	22.370
			x				0.438	x	11.13	25.500
			x				0.500	x	12.70	28.430
5 1/2	x	5 1/2	x	139.7	x	139.7	x	4.78	13.280	
			x				0.250	x	6.35	17.320
			x				0.313	x	7.95	21.180
			x				0.375	x	9.53	24.920
6	x	6	x	152.4	x	152.4	x	4.78	14.560	
			x				0.250	x	6.35	19.020
			x				0.313	x	7.95	23.330
			x				0.375	x	9.53	27.480
			x				0.438	x	11.13	31.500
			x				0.500	x	12.70	35.240
7	x	7	x	177.8	x	177.8	x	4.78	17.130	
			x				0.250	x	6.35	22.420
			x				0.313	x	7.95	27.630
			x				0.375	x	9.53	32.580
			x				0.438	x	11.13	37.500
			x				0.500	x	12.70	42.050
8	x	8	x	203.2	x	203.2	x	4.78	19.630	
			x				0.250	x	6.35	25.820
			x				0.313	x	7.95	31.840
			x				0.375	x	9.53	37.690
			x				0.438	x	11.13	43.400
			x				0.500	x	12.70	48.850
9	x	9	x	228.6	x	228.6	x	4.78	22.180	
			x				0.250	x	6.35	29.230
			x				0.313	x	7.95	36.100
			x				0.375	x	9.53	42.790
			x				0.500	x	12.70	55.660
			10				x	10	x	254.0
x	0.313	x		7.95	40.350					
x	0.375	x		9.53	47.900					
x	0.438	x		11.13	55.400					



TUBES CARRÉS / SQUARE HSS										
DIMENSIONS							Lb/Pi lin. Lb/Lin. ft			
IMP. Pouce/Inch				MET. mm						
10	x	10	x	0.500	254.0	x	254.0	x	12.70	62.460
			x	0.625				x	15.88	76.330
12	x	12	x	0.250	304.8	x	304.8	x	6.35	39.430
			x	0.313				x	7.95	48.860
			x	0.375				x	9.53	58.100
			x	0.438				x	11.13	67.500
			x	0.500				x	12.70	76.070
14	x	14	x	0.313	355.6	x	355.6	x	7.95	57.360
			x	0.375				x	9.53	68.310
			x	0.500				x	12.70	89.680
16	x	16	x	0.313	406.4	x	406.4	x	7.95	62.870
			x	0.375				x	9.53	78.520
			x	0.500				x	12.70	103.300



TUBES RECTANGULAIRES / RECTANGULAR HSS							
DIMENSIONS						Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm				
1 1/2	x	1	x	0.100	38.1 x 25.4	x 2.54	1.560
					x 0.110	x 2.79	1.710
					x 0.125	x 3.18	1.910
					x 0.150	x 3.81	2.180
2	x	1	x	0.083	50.8 x 25.4	x 2.11	1.610
				x 0.100	x 2.54	1.820	
				x 0.110	x 2.79	1.940	
				x 0.125	x 3.18	2.210	
				x 0.134	x 3.40	2.490	
				x 0.150	x 3.81	2.750	
2	x	1 1/2	x	0.100	50.8 x 38.1	x 2.54	2.580
				x 0.125	x 3.18	2.660	
2 1/2	x	1 1/2	x	0.100	63.5 x 38.1	x 2.54	2.580
				x 0.110	x 2.79	2.830	
				x 0.125	x 3.18	3.060	
				x 0.150	x 3.81	3.580	
				x 0.188	x 4.78	4.330	
3	x	1	x	0.100	76.2 x 25.4	x 2.54	2.580
				x 0.110	x 2.79	2.830	
				x 0.125	x 3.18	3.060	
				x 0.150	x 3.81	3.580	
				x 0.188	x 4.78	4.330	
3	x	1 1/2	x	0.100	76.2 x 38.1	x 2.54	2.920
				x 0.125	x 3.18	3.480	
				x 0.150	x 3.81	4.090	
				x 0.188	x 4.78	4.960	
3	x	2	x	0.100	76.2 x 50.8	x 2.54	3.260
				x 0.110	x 2.79	3.580	
				x 0.125	x 3.18	3.910	
				x 0.134	x 3.40	4.160	
				x 0.150	x 3.81	4.600	
				x 0.188	x 4.78	5.610	
				x 0.210	x 5.33	6.160	
				x 0.250	x 6.35	7.110	
3	x	2 1/2	x	0.090	76.2 x 63.5	x 2.79	3.190
				x 0.109	x 2.77	3.810	
				x 0.125	x 3.18	4.310	
				x 0.160	x 4.06	5.430	
				x 0.188	x 4.78	6.250	



TUBES RECTANGULAIRES / RECTANGULAR HSS						
DIMENSIONS						Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch			MET. mm			
3 1/2	x 2	x 0.090	88.9	x 50.8	x 2.79	3.190
		x 0.109			x 2.77	3.810
		x 0.125			x 3.18	4.310
		x 0.160			x 4.06	5.430
		x 0.188			x 4.78	6.250
3 1/2	x 2 1/2	x 0.095	88.9	x 63.5	x 2.41	3.660
		x 0.125			x 3.18	4.760
		x 0.134			x 3.40	5.070
		x 0.150			x 3.81	5.620
		x 0.188			x 4.78	6.890
		x 0.210			x 5.33	7.590
		x 0.250			x 6.35	8.810
4	x 2	x 0.095	101.6	x 50.8	x 2.41	3.660
		x 0.125			x 3.18	4.760
		x 0.134			x 3.4	5.070
		x 0.150			x 3.81	5.620
		x 0.188			x 4.78	6.890
		x 0.210			x 5.33	7.590
		x 0.250			x 6.35	8.810
4	x 3	x 0.109	101.6	x 76.2	x 2.77	4.920
		x 0.120			x 3.05	5.390
		x 0.125			x 3.18	5.610
		x 0.134			x 3.4	5.980
		x 0.150			x 3.81	6.640
		x 0.188			x 4.78	8.170
		x 0.210			x 5.33	9.010
		x 0.250			x 6.35	10.510
		x 0.313			x 7.95	12.700
5	x 2	x 0.109	127	x 50.8	x 2.77	4.920
		x 0.120			x 3.05	5.390
		x 0.125			x 3.18	5.610
		x 0.134			x 3.4	5.980
		x 0.150			x 3.81	6.640
		x 0.188			x 4.78	8.170
		x 0.210			x 5.33	9.010
		x 0.250			x 6.35	10.510
		x 0.313			x 7.95	12.700
		x 0.375		x 9.53	14.710	



TUBES RECTANGULAIRES / RECTANGULAR HSS						
DIMENSIONS					Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm			
5	x	2 1/2	x	0.150	127 x 63.5 x 3.81	7.150
				0.188	x 4.78	8.810
				0.210	x 5.33	10.060
				0.250	x 6.35	11.300
				0.313	x 7.95	13.800
				0.375	x 9.53	16.000
5	x	3	x	0.125	127 x 76.2 x 3.18	6.460
				0.134	x 3.4	6.890
				0.150	x 3.81	7.660
				0.188	x 4.78	9.450
				0.210	x 5.33	10.510
				0.250	x 6.35	12.210
5	x	4	x	0.125	127 x 101.6 x 3.18	7.310
				0.134	x 3.4	7.810
				0.150	x 3.81	8.699
				0.188	x 4.78	10.700
				0.250	x 6.35	13.910
				0.313	x 7.95	16.960
6	x	2	x	0.125	152.4 x 50.8 x 3.18	6.460
				0.134	x 3.4	6.890
				0.150	x 3.81	7.660
				0.188	x 4.78	9.450
				0.210	x 5.33	10.510
				0.250	x 6.35	12.210
6	x	3	x	0.125	152.4 x 76.2 x 3.18	7.310
				0.134	x 3.4	7.810
				0.150	x 3.81	8.699
				0.188	x 4.78	10.700
				0.250	x 6.35	13.910
				0.313	x 7.95	16.960
6	x	4	x	0.150	152.4 x 101.6 x 3.81	9.710
				0.188	x 4.78	12.000
				0.250	x 6.35	15.620
				0.313	x 7.95	19.080
				0.375	x 9.53	22.370
				0.500	x 12.7	28.430



TUBES RECTANGULAIRES / RECTANGULAR HSS						
DIMENSIONS					Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm			
7	x 2	x 0.125	177.8	x 50.8	x 3.18	7.310
		x 0.134			x 3.4	7.810
		x 0.150			x 3.81	8.699
		x 0.188			x 4.78	10.700
		x 0.250			x 6.35	13.910
		x 0.313			x 7.95	16.960
		x 0.375			x 9.53	19.820
7	x 3	x 0.150	177.8	x 76.2	x 3.81	9.710
		x 0.188			x 4.78	12.000
		x 0.250			x 6.35	15.620
		x 0.313			x 7.95	19.080
		x 0.375			x 9.53	22.370
		x 0.500			x 12.7	28.430
7	x 4	x 0.188	177.8	x 101.6	x 4.78	13.280
		x 0.250			x 6.35	17.320
		x 0.313			x 7.95	21.180
		x 0.375			x 9.53	24.920
7	x 5	x 0.188	177.8	x 127	x 4.78	14.560
		x 0.250			x 6.35	19.020
		x 0.313			x 7.95	23.330
		x 0.375			x 9.53	27.480
		x 0.438			x 11.13	31.500
		x 0.500			x 12.7	35.240
8	x 2	x 0.150	203.2	x 50.8	x 3.81	9.710
		x 0.188			x 4.78	12.000
		x 0.250			x 6.35	15.620
		x 0.313			x 7.95	19.080
		x 0.375			x 9.53	22.370
		x 0.500			x 12.7	28.430
8	x 3	x 0.188	203.2	x 76.2	x 4.78	13.280
		x 0.250			x 6.35	17.320
		x 0.313			x 7.95	21.180
		x 0.375			x 9.53	24.920
8	x 4	x 0.188	203.2	x 101.6	x 4.78	14.560
		x 0.250			x 6.35	19.020
		x 0.313			x 7.95	23.330
		x 0.375			x 9.53	27.480
		x 0.438			x 11.13	31.500
		x 0.500			x 12.7	35.240
8	x 5	x 0.188	203.2	x 127	x 4.78	14.560
		x 0.250			x 6.35	19.020
		x 0.313			x 7.95	23.330
		x 0.375			x 9.53	27.480
		x 0.438			x 11.13	31.500
		x 0.500			x 12.7	35.240
8	x 6	x 0.188	203.2	x 152.4	x 4.78	14.560
		x 0.250			x 6.35	19.020
		x 0.313			x 7.95	23.330
		x 0.375			x 9.53	27.480
		x 0.438			x 11.13	31.500
		x 0.500			x 12.7	35.240



TUBES RECTANGULAIRES / RECTANGULAR HSS						
DIMENSIONS					Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm			
8	x 6	x 0.188	203.2	x 152.4	x 4.78	17.130
		x 0.250			x 6.35	22.420
		x 0.313			x 7.95	27.630
		x 0.375			x 9.53	32.580
		x 0.438			x 11.13	37.500
		x 0.500			x 12.7	42.050
		x 0.625			x 15.88	50.760
9	x 3	x 0.188	228.6	x 76.2	x 4.78	14.560
		x 0.250			x 6.35	19.020
		x 0.313			x 7.95	23.330
		x 0.375			x 9.53	27.480
		x 0.438			x 11.13	31.500
		x 0.500			x 12.7	35.240
		x 0.625			x 15.88	42.260
9	x 5	x 0.188	228.6	x 127	x 4.78	17.130
		x 0.250			x 6.35	22.420
		x 0.313			x 7.95	27.630
		x 0.375			x 9.53	32.580
		x 0.438			x 11.13	37.500
		x 0.500			x 12.7	42.050
		x 0.625			x 15.88	50.760
9	x 7	x 0.188	228.6	x 177.8	x 4.78	19.630
		x 0.250			x 6.35	25.820
		x 0.313			x 7.95	31.840
		x 0.375			x 9.53	37.690
		x 0.438			x 11.13	43.400
		x 0.500			x 12.7	48.850
		x 0.625			x 15.88	59.320
10	x 2	x 0.188	254	x 50.8	x 4.78	14.560
		x 0.250			x 6.35	19.020
		x 0.313			x 7.95	23.330
		x 0.375			x 9.53	27.480
		x 0.438			x 11.13	31.500
		x 0.500			x 12.7	35.240
		x 0.625			x 15.88	42.260
10	x 4	x 0.188	254	x 101.6	x 4.78	17.130
		x 0.250			x 6.35	22.420
		x 0.313			x 7.95	27.630
		x 0.375			x 9.53	32.580
		x 0.438			x 11.13	37.500
		x 0.500			x 12.7	42.050
		x 0.625			x 15.88	50.760



TUBES RECTANGULAIRES / RECTANGULAR HSS						
DIMENSIONS					Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm			
10	x 6	x 0.188	254	x 152.4	x 4.78	19.630
		x 0.250			x 6.35	25.820
		x 0.313			x 7.95	31.840
		x 0.375			x 9.53	37.690
		x 0.438			x 11.13	43.400
		x 0.500			x 12.7	48.850
		x 0.625			x 15.88	59.320
10	x 8	x 0.188	254	x 203.2	x 4.78	22.180
		x 0.250			x 6.35	29.230
		x 0.313			x 7.95	36.100
		x 0.375			x 9.53	42.790
		x 0.500			x 12.7	55.660
12	x 2	x 0.188	304.8	x 50.8	x 4.78	17.130
		x 0.250			x 6.35	22.420
		x 0.313			x 7.95	27.630
		x 0.375			x 9.53	32.580
		x 0.438			x 11.13	37.500
		x 0.500			x 12.7	42.050
		x 0.625			x 15.88	50.760
12	x 4	x 0.188	304.8	x 101.6	x 4.78	19.630
		x 0.250			x 6.35	25.820
		x 0.313			x 7.95	31.840
		x 0.375			x 9.53	37.690
		x 0.438			x 11.13	43.400
		x 0.500			x 12.70	48.850
		x 0.625			x 15.88	59.320
12	x 6	x 0.188	304.8	x 152.4	x 4.78	22.180
		x 0.250			x 6.35	29.230
		x 0.313			x 7.95	36.100
		x 0.375			x 9.53	42.790
		x 0.500			x 12.7	55.660
12	x 8	x 0.250	304.8	x 203.2	x 6.35	32.630
		x 0.313			x 7.95	40.350
		x 0.375			x 9.53	47.900
		x 0.438			x 11.13	55.400
		x 0.500			x 12.70	62.460
14	x 4	x 0.188	355.6	x 101.6	x 4.78	22.180
		x 0.250			x 6.35	29.230
		x 0.313			x 7.95	36.100
		x 0.375			x 9.53	42.790
		x 0.500			x 12.70	55.660



TUBES RECTANGULAIRES / RECTANGULAR HSS						
DIMENSIONS					Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch			MET. mm			
14	x 6	x 0.250	355.6	x 152.4	x 6.35	32.630
		x 0.313			x 7.95	40.350
		x 0.375			x 9.53	47.900
		x 0.438			x 11.13	55.400
		x 0.500			x 12.70	62.460
		x 0.625			x 15.88	76.330
16	x 4	x 0.250	406.4	x 101.6	x 6.35	32.630
		x 0.313			x 7.95	40.350
		x 0.375			x 9.53	47.900
		x 0.438			x 11.13	55.400
		x 0.500			x 12.70	62.460
		x 0.625			x 15.88	76.330



TUBES RONDS / ROUND HSS		
DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
1.000 x .065	25.4 x 1.65	0.649
x .083	x 2.11	0.813
x .095	x 2.41	0.920
1.050 x .095	26.7 x 2.41	0.950
x .100	x 2.54	1.010
x .110	x 2.79	1.110
x .113	x 2.87	1.130
x .125	x 3.18	1.230
1.250 x .100	31.8 x 2.54	1.230
x .125	x 3.18	1.510
x .134	x 3.40	1.600
1.315 x .100	33.4 x 2.54	1.300
x .110	x 2.79	1.410
x .125	x 3.18	1.590
1.660 x .100	42.2 x 2.54	1.670
x .110	x 2.79	1.820
x .125	x 3.18	2.050
x .134	x 3.40	2.170
1.875 x .100	47.6 x 2.54	1.900
x .125	x 3.18	2.340
1.900 x .100	48.3 x 2.54	1.920
x .110	x 2.79	2.100
x .125	x 3.18	2.380
x .150	x 3.81	2.800
x .188	x 4.78	3.430
x .250	x 6.35	4.410
2.000 x .100	50.8 x 2.54	2.030
x .125	x 3.18	2.500
x .150	x 3.81	2.960
x .188	x 4.78	3.640
2.375 x .100	60.3 x 2.54	2.430
x .125	x 3.18	3.010
x .150	x 3.81	3.570
x .188	x 4.78	4.400
x .250	x 6.35	5.680
2.500 x .125	63.5 x 3.18	3.170
x .150	x 3.81	3.770
x .188	x 4.78	4.650
x .250	x 6.35	6.020



TUBES RONDS / ROUND HSS		
DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
2.750 x .125	69.9 x 3.18	3.500
x .150	x 3.81	4.180
x .188	x 4.78	5.150
x .250	x 6.35	6.690
2.875 x .125	73.0 x 3.18	3.670
x .150	x 3.81	4.370
x .188	x 4.78	5.400
x .250	x 6.35	7.010
3.000 x .125	76.2 x 3.18	3.840
x .134	x x 3.40	4.100
x .150	x x 3.81	4.570
x .188	x x 4.78	5.660
x .250	x x 6.35	7.350
3.500 x .125	88.9 x 3.18	4.510
x .150	x x 3.81	5.370
x .188	x x 4.78	6.660
x .250	x x 6.35	8.690
x .313	x x 7.95	10.660
3.750 x .150	95.3 x 3.81	5.780
x .188	x 4.78	7.160
x .210	x 5.33	7.950
x .250	x 6.35	9.360
x .313	x 7.95	11.500
4.000 x .125	101.6 x 3.18	5.170
x .134	x 3.40	5.530
x .150	x 3.81	6.170
x .188	x 4.78	7.670
x .210	x 5.33	8.510
x .250	x 6.35	10.020
x .313	x 7.95	12.340
x .375	x 9.53	14.520
4.500 x .125	114.3 x 3.18	5.850
x .188	x 4.78	8.680
x .250	x 6.35	11.360
x .313	x 7.95	14.010
x .375	x 9.53	16.540
4.750 x .188	120.7 x 4.78	9.140
x .250	x 6.35	12.000
x .313	x 7.95	14.800



TUBES ROUNDS / ROUND HSS		
DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
5.000 x .125	127 x 3.18	6.840
x .150	x 3.81	7.780
x .188	x 4.78	9.670
x .250	x 6.35	12.690
x .313	x 7.95	15.690
x .375	x 9.53	18.540
5.562 x .188	141.3 x 4.78	10.800
x .250	x 6.35	14.200
x .313	x 7.95	17.600
x .375	x 9.53	20.800
6.000 x .125	152.4 x 3.18	7.840
x .188	x 4.78	11.680
x .250	x 6.35	15.370
x .313	x 7.95	19.030
x .375	x 9.53	22.550
6.625 x .125	168.3 x 3.18	8.680
x .188	x 4.78	13.000
x .250	x 6.35	17.020
x .313	x 7.95	21.100
x .375	x 9.53	25.100
7.000 x .188	177.8 x 4.78	13.690
x .250	x 6.35	18.040
x .313	x 7.95	22.370
x .375	x 9.53	26.560
7.500 x .188	190.5 x 4.78	14.700
x .250	x 6.35	19.400
x .313	x 7.95	24.000
x .375	x 9.53	28.500
8.625 x .188	219.1 x 4.78	16.940
x .250	x 6.35	22.360
x .313	x 7.95	27.790
x .375	x 9.53	33.040
x .438	x 11.13	38.400
x .500	x 12.70	43.390
10.750 x .250	273.1 x 6.35	28.000
x .313	x 7.95	34.800
x .375	x 9.53	41.600
x .438	x 11.13	48.200
x .500	x 12.70	54.700



TUBES RONDS / ROUND HSS		
DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
12.750 x .250	323.9 x 6.35	33.400
x .313	x 7.95	41.600
x .375	x 9.53	49.600
x .438	x 11.13	57.500
x .500	x 12.70	65.400
14.000 x .250	355.6 x 6.35	36.800
x .313	x 7.95	45.800
x .375	x 9.53	54.700
x .438	x 11.13	63.500
x .500	x 12.70	72.200
16.000 x .250	406.4 x 6.35	42.100
x .313	x 7.95	52.500
x .375	x 9.53	62.700
x .438	x 11.13	72.900
x .500	x 12.70	82.900



TUYAUX NOIRS ET GALVANISÉS / BLACK & GALVANIZED PIPES
CÉDULE 40 / SCHEDULE 40

DIMENSIONS		DIAMÈTRE/DIAMETER		Épaisseur Thickness	Lb/Pi. lin Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	Ext./O.D.	Int./I.D.		
1/8	3.180	0.405	0.269	0.068	0.24
1/4	6.350	0.540	0.364	0.088	0.42
3/8	9.530	0.675	0.493	0.091	0.56
1/2	12.700	0.840	0.622	0.109	0.85
3/4	19.000	1.050	0.824	0.113	1.13
1	25.400	1.315	1.049	0.133	1.67
1 1/4	31.800	1.660	1.380	0.140	2.27
1 1/2	38.100	1.900	1.610	0.145	2.71
2	50.800	2.375	2.067	0.154	3.65
2 1/2	63.500	2.875	2.469	0.203	5.79
3	76.200	3.500	3.068	0.216	7.57
3 1/2	88.900	4.000	3.548	0.226	9.10
4	101.600	4.500	4.026	0.237	10.79
4 1/2	114.300	5.000	4.506	0.247	12.53
5	127.000	5.563	5.047	0.258	14.61
6	152.400	6.625	6.065	0.280	18.97
7	177.800	7.625	7.023	0.301	23.54
8	203.200	8.625	8.071	0.277	24.69
8	203.200	8.625	7.981	0.322	28.55
10	254.000	10.750	10.192	0.279	31.20
10	254.000	10.750	10.136	0.307	34.24
10	254.000	10.750	10.020	0.365	40.48
12	304.800	12.750	12.090	0.330	43.77
12	304.800	12.750	12.000	0.375	49.56
14	355.600	14.000	13.250	0.375	54.57
16	406.400	16.000	15.250	0.375	62.58



**TUYAUX NOIRS ET GALVANISÉS / BLACK & GALVANIZED PIPES
CÉDULE 80 / SCHEDULE 80**

DIMENSIONS		DIAMÈTRE/DIAMETER		Épaisseur Thickness	Lb/Pi. lin Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	Ext./O.D.	Int./I.D.		
1/8	3.180	0.405	0.215	0.095	0.310
1/4	6.350	0.540	0.302	0.119	0.530
3/8	9.530	0.675	0.423	0.126	0.730
1/2	12.700	0.840	0.546	0.147	1.080
3/4	19.000	1.050	0.742	0.154	1.470
1	25.400	1.315	0.957	0.179	2.170
1 1/4	31.800	1.660	1.278	0.191	2.990
1 1/2	38.100	1.900	1.500	0.200	3.630
2	50.800	2.375	1.939	0.218	5.020
2 1/2	63.500	2.875	2.323	0.276	7.660
3	76.200	3.500	2.900	0.300	10.250
3 1/2	88.900	4.000	3.364	0.318	12.500
4	101.600	4.500	3.826	0.337	14.980
4 1/2	114.300	5.000	4.290	0.355	17.610
5	127.000	5.563	4.813	0.375	20.770
6	152.400	6.625	5.761	0.432	28.570
7	177.800	7.625	6.625	0.500	38.040
8	203.200	8.625	7.625	0.500	43.380
10 (EH)	254.000	10.750	9.750	0.500	54.730
12 (EH)	304.800	12.750	11.750	0.500	65.410
14 (EH)	355.600	14.000	13.000	0.500	72.090
16 (EH)	406.400	16.000	15.000	0.500	82.770

**TUYAUX NOIRS & GALVANISÉS D.E.F. / BLACK & GALVANIZED PIPES, D.E.H.
DOUBLE EXTRA FORTS / DOUBLE EXTRA HEAVY**

DIMENSIONS		DIAMÈTRE/DIAMETER		Épaisseur Thickness	Lb/Pi. lin Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	Ext./O.D.	Int./I.D.		
1/2	12.700	0.840	0.252	0.294	1.710
3/4	19.000	1.050	0.434	0.308	2.440
1	25.400	1.315	0.599	0.358	3.650
1 1/4	31.800	1.660	0.896	0.382	5.210
1 1/2	38.100	1.900	1.100	0.400	6.400
2	50.800	2.375	1.503	0.436	9.020
2 1/2	63.500	2.875	1.771	0.552	13.690
3	76.200	3.500	2.300	0.600	18.580
3 1/2	88.900	4.000	2.728	0.636	22.850
4	101.600	4.500	3.152	0.674	27.450
4 1/2	114.300	5.000	3.580	0.710	32.530
5	127.000	5.563	4.063	0.750	38.550
6	152.400	6.625	4.897	0.864	53.160
7	177.800	7.625	5.875	0.875	63.070
8	203.200	8.625	6.875	0.875	72.420